

6-PATTERN ROTARY GEAR DRIVE SPRINKLER HEAD

6 Spray Patterns - Flat, Fan, Large, Jet, Full, and Mini

Range Tab - adjust range and prevent water waste



Spray Angle - adjust the tabs to change the spray angle from 5° to 360°

Connects to any Eden sprinkler base with "H" shape or tripod base

Added filter to prevent water sediment



94120-EDAMZ



95124-EDAMZ



96123-EDAMZ



94124-EDAMZ



11530-EDAMZ

Perfect for watering lawns and gardens



Vegetables




Fruits



Lawn










Agricultural



Horticultural



Garden



Spray Pattern Adjustments

Depending on your watering needs, you can manually select from the various pattern settings:

Flat - The flat pattern will provide a flat wave of water.



Fan - The fan pattern disperses water in a wide fan shape.

Large - This provides a larger watering spray area.

Full - This pattern provides strong distance watering.




Jet - Concentrated far distance watering.

Mini - Provides gentle spray for delicate plants.



Spray Angle Adjustment

Adjust the tabs to change the spray angle to fit your needs (from 5° up to 360°).



Range Tab

Move the tab in or out to control the spray distance and water where it's needed.

WARNING:

Intended for outdoor agricultural or horticultural use only. This is not a toy. Severe electrical shock could result if water is sprayed into outlets or sources of electrical current. Do not use water more than 115°F (46°C). Do not use when the ambient air temperature is less than 40°F (4.5°C). When not in use, drain and store indoors away from freezing temperatures.

WARNING: This product can expose you to chemicals including styrene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.



QUESTIONS? CONCERNS?

We're here to help!

Contact our
reliable, US-based
Customer Service

support@edengarden.com

1+ 866-521-7718

☐ 指定材質：

☒ 不指定材質，建議使用：
70P模造紙

※稿件注意事項：

雙面印刷(正面彩色) 共1張，3折(十字摺)
與零件一同放入袋中
藍色框處朝上(折完後要在最上層)



語言 Language : 英文

翻譯 Translator : 客戶

品牌 Brand : 源美自有品牌

條碼 Bar Code :

設計師 Designer : AB 114/06/19

核對 Sign Off :



6-PATTERN ROTARY GEAR DRIVE SPRINKLER HEAD

16039EDAMZ



6 spray patterns to meet all
your watering needs -
flat, fan, large, jet, full and mini

Range tab - adjust range
and prevent water waste

Spray Angle - adjust the
tabs to change the
spray angle from 5° to 360°

Connects to any Eden sprinkler
base with "H" shape or tripod base


Added filter to prevent
water sediment



Spray Pattern Adjustments



Depending on your watering needs, you can manually select from the various pattern settings:

Flat - The flat pattern will provide a flat wave of water.
Fan - The fan pattern disperses water in a wide fan shape.
Large - This provides a larger watering spray area.
Full - This pattern provides strong distance watering.
Jet - Concentrated far distance watering.
Mini - Provides gentle spray for delicate plants.



Spray Angle Adjustment

Adjust the tabs to change the spray angle to fit your needs
(from 5° up to 360°).



Range Tab

Move the tab in or out to control the spray distance and
water where it's needed.

WARNING:

Intended for outdoor agricultural or horticultural use only. This is not a toy. Severe electrical shock could result if water is sprayed into outlets or sources of electrical current. Do not use water more than 115°F (46°C). Do not use when the ambient air temperature is less than 40°F (4.5°C). When not in use, drain and store indoors away from freezing temperatures.

WARNING: This product can expose you to chemicals including styrene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.



Perfect for watering lawns and gardens



Vegetables



Fruits



Lawn



Agricultural



Horticultural



Garden